Please print

RECEIVED

DEC 08 2011 Mo Oil & Gas Council

NOTICE TO CANCEL PERMIT APPLICATION

TO THE MISSOURI OIL AND GAS COUNCIL:

i reade print				
Company Name:	D.E.	EXPLORATION	1 INC.	
Lease Name:	BELTON	UNIT		
Well Number:	B- 73			
Permit Number:	70876			
County: CA	55			
	with a constitution and the least of the lea			
The above stated	well has not	been drilled and r	equires no remedia	l or plugging actions
as required by the	Missouri Oi	il and Gas Council	Rules and Regula	tions,
I, the undersigned	state that I	(your name & title	e) PHIL FRICK	C. MANAGER OF
(company)	D.E. E.	PLORATION	INC.	, am
authorized to mak	e this report	and that this repo	ort was prepared un	der my supervision
and direction and	the facts stat	ted berein are true	correct, and comp	lete to the best of my
knowledge.				
•	11 -	1		
Signature:	MM	Jan 12		
Signature.	1 - 0	1		
Date: 12	111			
Jate: 1 &	2/11			

FORM OGC-3



STATE OF MISSOURI MISSOURI DEPARTMENT OF NATURAL RESOURCES GEOLOGICAL SURVEY PROGRAM

DEC 28 2007

APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK

NAME OF COMPANY		ILL DEEPEN		BACK 🛛	FOR AN OI	DATE			
D.E. Explorat							7/2007		
ADDRESS				CITY			12/27/2007 STATE ZIP CODE		
P.O. Box 128			\	Wellsville		KS	KS 66092		
DESCRIPTION NAME OF LEASE	OF WELL	AND LEASE	V	VELL NUMBER	E CHAINE	ELEVA	TION (GROUND		
Belton Unit				#R-23			1079		
WELL LOCATION				FROM SECTION LINES)					
WELL LOCATION	33	20 ft. from ☐ North 🛛			∐ East	Vest section			
	nship 46 No	orth Range 33 E	East ⊠ West	NA N	١A	Cas	S		
		OPOSED LOCATION TO PR		LINE 2925 FEET					
		OCATION TO NEAREST DR		OR APPLIED - FOR		E SAME LEAS		TE WORK WILL STAF	
PROPOSED DEPTH		vans Energy Develo			Rotary	ABLE TOOLS	1/7/2008		
NUMBER OF ACRES	INITEROF	JMBER OF WELLS ON LEA		WELL COMPLETED		NG TO THIS I			
560		JMBER OF WELLS ON LEA		TILLE, COMPLETED	III ON DAILLI	10 10 1110 1	LOCK OIK _		
F LEASE PURCH		IE OR MORE WELLS DRILL		JRCHASED?	N	IO. OF WELL	S PROD	UCING 42	
		stern Engineering						CTION <u>26</u>	
ADDRESS							ABAND	CTIVE <u>15</u> ONED 0	
		☐ SINGLE WELL		BLANKE	T BOND		⊠ ON	FILE	
		STATUS OF BOND AMOUNT \$				AMOUNT \$ 40000.00			
REMARKS: (IF THIS NJECTION ZONE; US	IS AN APPLICATI SE BACK OF FOR	ON TO DEEPEN OR PLUG BACK M IF NEEDED)	K, BRIEFLY DESCRIBE W	VORK TO BE DONE, GIVE	NG PRESENT P	<u>v</u> RODUCING/IN.	JECTION ZONE	AND EXPECTED NEW	
REMARKS: (IF THIS NJECTION ZONE; US	SE BACK OF FOR	ON TO DEEPEN OR PLUG BACK M IF NEEDED) ED CASING PROGRAM	K, BRIEFLY DESCRIBE W	VORK TO BE DONE, GIVI	CASING - TO	RODUCING/IN.	IN BY STATE	GEOLOGIST	
AMOUNT	PROPOSI	M IF NEEDED)	CEMENT	APPROVED AMOUNT	CASING - TO	BE FILLED		GEOLOGIST CEMENT	
INJECTION ZONE; US	PROPOSI	ED CASING PROGRAM		ORK TO BE DONE, GIVI	CASING - TO	BE FILLED	IN BY STATE	GEOLOGIST	
AMOUNT	PROPOSI	ED CASING PROGRAM	CEMENT	APPROVED AMOUNT	CASING - TO	BE FILLED	IN BY STATE	GEOLOGIST CEMENT 114 sk	
AMOUNT	PROPOSI	ED CASING PROGRAM	CEMENT	APPROVED AMOUNT	CASING - TO	BE FILLED	IN BY STATE	GEOLOGIST CEMENT 114 sk	
AMOUNT 700'	PROPOSI SIZE 4 1/2"	ED CASING PROGRAM WT/FT at I am the President	CEMENT 114 sk of the D.E. Expl	APPROVED AMOUNT 700' oration, Inc. (Co	CASING - TO SIZE 4 1/2"	BE FILLED	N BY STATE WT/FT	GEOLOGIST CEMENT 114 sk to surface by said	
AMOUNT 700' I, the Undersign company to ma	PROPOSI SIZE 4 1/2" ned, state the like this repo	ED CASING PROGRAM WT/FT	CEMENT 114 sk of the D.E. Exployers prepared und	APPROVED AMOUNT 700' oration, Inc. (Co	CASING - TO SIZE 4 1/2"	BE FILLED	N BY STATE WT/FT	GEOLOGIST CEMENT 114 sk to surface by said	
AMOUNT 700' I, the Undersign company to make are true, corrections	PROPOSI SIZE 4 1/2" ned, state the like this repo	ED CASING PROGRAM WT/FT at I am the President rt, and that this report	CEMENT 114 sk of the D.E. Exployers prepared und	APPROVED AMOUNT 700' oration, Inc. (Co	CASING - TO SIZE 4 1/2"	BE FILLED	authorized	GEOLOGIST CEMENT 114 sk to surface by said	
AMOUNT 700' I, the Undersign company to mater true, correct signature.	PROPOSI SIZE 4 1/2" ned, state the like this repo	ED CASING PROGRAM WT/FT at I am the President rt, and that this report	CEMENT 114 sk of the D.E. Exployers prepared und	APPROVED AMOUNT 700' oration, Inc. (Co	CASING - TO SIZE 4 1/2"	BE FILLED	N BY STATE WT/FT	GEOLOGIST CEMENT 114 sk to surface by said	
AMOUNT 700' I, the Undersign company to material true, corrections are true, corrections are true.	PROPOSI SIZE 4 1/2" ned, state the ake this reposit, and comp	ed Casing Program WT/FT at I am the President of the best of my find that the program of the best of my find the best of my	of the D.E. Explored under consuled ge.	APPROVED AMOUNT 700' Oration, Inc. (Coder my supervisio	CASING – TO SIZE 4 1/2"	d that I am tion and the 12/2	authorized at the facts	GEOLOGIST CEMENT 114 sk to surface by said stated therein	
AMOUNT 700' , the Undersign company to make true, correct signature of the permit NUMBER	PROPOSI SIZE 4 1/2" ned, state the ake this reposit, and comp	et I am the President rt, and that this report lete to the best of my	of the D.E. Exployers prepared unconvoledge.	APPROVED AMOUNT 700' Oration, Inc. (Coder my supervision) REQUIRED S REQUIRED IF RUN	CASING – TO SIZE 4 1/2"	d that I am tion and the 12/2	authorized at the facts	GEOLOGIST CEMENT 114 sk to surface by said	
AMOUNT 700' , the Undersign company to make true, corrections are	PROPOSI SIZE 4 1/2" ned, state the ake this reposit, and comp	ed Casing Program WT/FT at I am the President of the best of my find that the program of the best of my find the best of my	of the D.E. Explored under consuled ge.	APPROVED AMOUNT 700' oration, Inc. (Coder my supervision) REQUIRED REQUIRED IF RUN	CASING – TO SIZE 4 1/2"	d that I am tion and the 12/2	authorized at the facts	GEOLOGIST CEMENT 114 sk to surface by said stated therein	
AMOUNT 700' , the Undersign company to ma are true, correct signature APPROVED DATE	PROPOSI SIZE 4 1/2" ned, state the ake this reposit, and comp	ed Casing Program WT/FT at I am the President of the best of my find that the program of the best of my find the best of my	of the D.E. Exployers prepared unconowledge. DRILLER'S LOG CORE ANALYSIS SAMPLES REQU	APPROVED AMOUNT 700' Oration, Inc. (Coder my supervision) REQUIRED REQUIRED IF RUN REQUIRED	CASING – TO SIZE 4 1/2"	d that I am tion and the 12/2	authorized at the facts	GEOLOGIST CEMENT 114 sk to surface by said stated therein	
AMOUNT 700' , the Undersign company to make true, correct signature permit Number approved date	PROPOSI SIZE 4 1/2" ned, state the lake this report, and comp	ed Casing Program WT/FT at I am the President of the best of my find that the program of the best of my find the best of my	CEMENT 114 sk of the D.E. Exployers prepared unconowledge. DRILLER'S LOG CORE ANALYSIS SAMPLES REQU SAMPLES NOT FOR WATER SAMPLE	APPROVED AMOUNT 700' Oration, Inc. (Coder my supervision) REQUIRED	CASING – TO SIZE 4 1/2" mpany), and n and direct	d that I am tion and the 12/2	authorized at the facts 7/2007 IRED IF RUN	GEOLOGIST CEMENT 114 sk to surface by said stated therein	
AMOUNT 700' , the Undersign company to make true, correct	PROPOSI SIZE 4 1/2" ned, state thake this reposit, and comp	at I am the President rt, and that this report lete to the best of my lete to the Dest of TRANSPERATE OIL AND GAS COUNCE	CEMENT 114 sk of the D.E. Explored under the control of the D.E. Explored under the control of	APPROVED AMOUNT 700' Oration, Inc. (Coder my supervision) REQUIRED IF RUN REQUIRED IF RUN RECOURED AT THER PERSON C	CASING - TO SIZE 4 1/2" mpany), and direct	d that I am tion and the 12/2 LOGS REQUERILL SYSTEM	authorized at the facts 7/2007 IRED IF RUN I TEST INFO F	GEOLOGIST CEMENT 114 sk to surface by said stated therein	
AMOUNT 700' I, the Undersign company to ma are true, correct signature APPROVED BY APPROVED BY I PPROVAL OF THE WELL NOR ENDOR	PROPOSI SIZE 4 1/2" ned, state the ske this report, and composit, and composit, and composit state the ske this report, and composit state the ske this report, and composit state the ske this report, and composit state the ske this report to the ske	at I am the President rt, and that this report lete to the best of my lete to the Dest of THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE QUALIFICATIONS OF TEMPORAL PROPERTY IN THE OIL AND GAS COUNCE THE OIL A	CEMENT 114 sk of the D.E. Exployers prepared unconvoledge. DRILLER'S LOG CORE ANALYSIS SAMPLES NOT FOR WATER SAMPLES WATER SAMPLES ABLE TO ANY OT THE PERMITTEE In approved drillin	APPROVED AMOUNT 700' Oration, Inc. (Coder my supervision) REQUIRED REQUIRED REQUIRED REQUIRED REQUIRED REQUIRED THER PERSON CONTITUTE ENDORSEME	CASING – TO SIZE 4 1/2" mpany), and n and direct	d that I am tion and the 12/2 LOGS REQUERILL SYSTEM OTHER LEEOLOGIC ME	authorized at the facts 7/2007 IRED IF RUN I TEST INFO F	GEOLOGIST CEMENT 114 sk to surface by said stated therein EPROPOSED ell. Council	
AMOUNT 700' I, the Undersign company to ma are true, correct signature APPROVED BY APPROVED BY I PPROVAL OF THE WELL NOR ENDOR	PROPOSI SIZE 4 1/2" ned, state the ake this repost, and composit, and composit, and composit, and composit, and composit, and composit and compos	at I am the President rt, and that this report lete to the best of my lete to the Dest of my lete out and GAS COUNCITE QUALIFICATIONS OF THE QUALIFICATIONS OF THE QUALIFICATIONS OF THE OUT	CEMENT 114 sk of the D.E. Exployers prepared unconvoledge. DRILLER'S LOG CORE ANALYSIS SAMPLES NOT FOR WATER SAMPLES WATER SAMPLES ABLE TO ANY OT THE PERMITTEE In approved drillin	APPROVED AMOUNT 700' Oration, Inc. (Coder my supervision) REQUIRED REQUIRED REQUIRED REQUIRED REQUIRED REQUIRED THER PERSON CONTITUTE ENDORSEME	CASING – TO SIZE 4 1/2" mpany), and n and direct	d that I am tion and the 12/2 LOGS REQUERILL SYSTEM OTHER LEEOLOGIC ME	authorized at the facts 7/2007 IRED IF RUN I TEST INFO F	GEOLOGIST CEMENT 114 sk to surface by said stated therein EPROPOSED ell. Council	

Davil A. EVADA	of the Evans Energy Development In
Company confirm that an approved drilling permit has been will be shown on this form by presence of a permit number	on obtained by the owner of this well Council approval of this parmit
DAMILLY EGIDATUAL	and and an animotives Conucin tebieteulative

RECEIVED

DEC 28 2007

Mo Oil & Gas Council



STATE OF MISSOURI
MISSOURI DEPARTMENT OF NATURAL RESOURCES
GEOLOGICAL SURVEY PROGRAM
INJECTION WELL LOCATION PLAT



DEC 28 2007

OWNER'S NAME	Ma Oil 9 Coo Coupoil
D.E. Exploration, Inc.	Mo Oil & Gas Council
Belton Unit #R-23 WELL LOCATION (GIVE FOOTAGE FRO	Cass
	And the state of t
WELL LOCATION To The Morth Section	line 2925 ft. from ⊠East □West section line
Sec. 16 Township 46 North Range 33 East W	Vest Belton Q
NA	NA
NWJ	
N	
REMARKS	
Refer to map sent 12/27/2007	
INSTRUCTIONS On the above plat, show distance of the proposed well from the two nearest section lines, the nearest lease line, and from the nearest well on the same lease completed in or drilling to the same reservoir. Do not confuse survey lines with lease lines. See rule 10 CSR 50-2.030 for survey requirements. Lease lines must be marked.	This is to certify that I have executed a survey to accurately locate oil and gas wells in accordance with 10 CSR 50-2.030 and that the results are correctly shown on the above plat.
REGISTERED LAND SURVEY	NUMBER